

IN THE CLAIMS

1. (Currently Amended): 2-[4-[2-(7-Trifluoromethylbenzoxazol-2-ylthio)ethyl]piperazin-1-yl]-N-[4-hydroxy-2,6-bis(trifluoromethyl)phenyl]acetamide, or salt or solvate thereof.


2. (Currently Amended): A ~~medicine~~ pharmaceutical composition comprising 2-[4-[2-(7-trifluoromethylbenzoxazol-2-ylthio)ethyl]piperazin-1-yl]-N-[4-hydroxy-2,6-bis(trifluoromethyl)phenyl]acetamide, or salt or solvate thereof ~~as an effective ingredient~~.

3-4 (Cancelled)

5. (Currently Amended): A ~~treating method of~~ method for treating arteriosclerosis or hyper-lipidemia, which comprises:

administering to a subject in need thereof an effective amount of 2-[4-[2-(7-trifluoromethylbenzoxazol-2-ylthio)ethyl]piperazin-1-yl]-N-[4-hydroxy-2,6-bis(trifluoromethyl)phenyl]acetamide or salt or solvate thereof.

6. (Currently Amended): A ~~2,6-bis(trifluoromethyl)aniline~~ compound ~~or anilide derivative thereof~~ represented by the following formula (2):



wherein,

$R^1$  represents a hydrogen atom or an  $XCH_2CO-$  group (in which, X is a halogen atom), and

$R^2$  represents a protective group selected from lower alkyl groups which may be optionally substituted, lower alkenyl groups which may be optionally substituted, a benzyl group which may be optionally substituted, and a silyl group which may be optionally substituted;

with the proviso that when  $R^1$  represents a hydrogen atom, then  $R^2$  is not substituted  
 $C_2-C_4$  alkyl;  
or a salt or solvate of said compound.

7. (New): The compound of Claim 6, where  $R^1$  represents a hydrogen atom.

8. (New): The compound of Claim 6, where  $R^1$  represents  $XCH_2CO-$  (in which, X is a halogen atom).

9. (New): The compound of Claim 6, where  $R^2$  represents a lower alkyl group which may be optionally substituted.

10. (New): The compound of Claim 6, where  $R^2$  represents a lower alkenyl group which may be optionally substituted.

11. (New): The compound of Claim 6, where  $R^2$  represents a benzyl group which may be optionally substituted.

12. (New): The compound of Claim 6, where  $R^2$  represents a silyl group which may be optionally substituted.

13. (New): A method for reducing the accumulation of cholesterol in the artery wall comprising administering to a subject in need thereof an effective amount of the compound of Claim 1.

14. (New): The method of Claim 13, wherein said subject has arteriosclerosis.

15. (New): The method of Claim 13, wherein said subject has hyper-lipidemia.

16. (New): The method of Claim 13, wherein said subject does not have arteriosclerosis or hyper-lipidemia.

17. The method of Claim 13, wherein said compound is parenterally administered to said subject.